



## iQ500, free-standing freezer, 186 x 60 cm, Black stainless steel GS36NAXFV



Freezer with innovative noFrost technology, no more defrosting and with softStart LED lighting the freezer interior is brilliantly illuminated.

- ✓ noFrost – Never defrost your freezer again.
- ✓ superFreezing - Sensors automatically reduce the temperature for a set period of time, to quickly freeze newly added food items.
- ✓ All freezer drawers and glass shelves can be removed easily. varioZone lets you organize the space flexibly.
- ✓ The multiAlarm system notifies you visually and acoustically if the temperature goes up.
- ✓ multiAirflow for optimum air circulation and even cooling at all levels.

### Features

#### Technical Data

Energy Efficiency Class: F

Average annual energy consumption in kilowatt hour per year (kWh/a): 294 kWh/annum

Sum of volume of frozen compartments: 242 l

Airborne acoustical noise emissions : 40 dB(A) re 1 pW

Airborne acoustical noise emission class: C

Thermometer freeze section: Digital

Light: Yes

Product category: Upright freezer

Built-in / Free-standing: Free-standing

Door panel options: Not possible

Frost free system: Fridge and freezer

Height without worktop / build under: 1860 mm

Width of the appliance: 600 mm

Depth: 650 mm

Dimensions of the packed product (HxWxD): 1900 x 750 x 650 mm

Net weight: 71.0 kg

Gross weight: 73.0 kg

Fuse protection: 10 A

Frequency: 50 Hz

Approval certificates: CE, VDE

Length electrical supply cord: 230 cm

Door hinge: Right reversible

Storage Period in Event of Power Failure (h): 9 h

Warning signal / malfunction: visual and audible

Door lock: No

Number of drawers/baskets (Stck): 5

Number of freezing flaps (Stck): 2

EAN code: 4242003873267

Brand: Siemens

Product name / Commercial code: GS36NAXFV

Product category: Upright freezer



4 242003 873267

### Included accessories

2 x cold accumulator

### Optional accessories

KS39ZAX00 Connection set cast iron

KS39ZAL00 Connection set inox



## iQ500, free-standing freezer, 186 x 60 cm, Black stainless steel GS36NAXFV

### Features

#### Functions

- stainless steel Vertical door handle
- Bright interior LED freezer light

#### Design features

- No Frost, never have to defrost ever again
- Electronic control (LED display)
- Freezer malfunction warning signal: Optical and acoustic malfunction alarm system
- vitaControl - constant temperature by intelligent sensor - Constant temperature control by intelligent sensor technology

#### Food freshness system

- multiAirflow cooling - improves circulation of air around the fridge
- 
- Vario Zone - removable safety glass shelves for extra space!
- 5 transparent freezer drawers, 2 bigbox
- Twist Ice Box removable

#### Dimension and installation

- Dimensions: 186 cm H x 60 cm W x 65 cm D

#### Key features - Fridge section

- Right hinged door, reversible door
- Height adjustable front feet
- Door opening: No side clearance needed at all. Full access to all drawers, door opening angle 90°.
- 220 - 240 V

#### Key features - Freezer section

- cold accumulator

#### Country Specific Options

- Based on the results of the standard 24-hour test. Actual consumption depends on usage/position of the appliance.
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

#### Included accessories

#### Design features

#### Dimension and installation

#### Additional features


#### Performance and Consumption

- EU19\_EEK\_D: F
- Total Volume : 242 l
- Net Fridge Volume : 0 l
- Net Freezer Volume : 242 l
- Freezing capacity 24h : 19 kg
- Annual Energy Consumption: 294 kWh/a
- Climate Class: SN-T
- EU19\_Fast freezer facility\_D: yes
- Noise Level : 40 dB
- Temperature rise time : EU19\_Temperature rise time\_D: 9 H



**iQ500, free-standing freezer, 186 x 60  
cm, Black stainless steel  
GS36NAXFV**

**Dimensioned drawings**



	a	b	c	d	e	f
KSW36, GSD36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

a) Height  
b) Width  
c) Depth with closed door w/o handle and w/o distance part  
d) Depth of cabinet w/o distance part  
e) Width with open door w/o handle  
f) Depth with open door w/o handle w/o distance part

measurements in cm

